

Observations of the Antarctic Ozone Hole from 2003 to 2007

Braathen, G., World Meteorological Organization, Geneva, Switzerland
Van der A, R., Royal Netherlands Meteorological Institute, De Bilt, Netherlands
Anastou, A., Alfred Wegener Institute, Potsdam, Germany
Bernhard, G., Biospherical Inc., San Diego, CA, USA
Campos, J., Dirección Meteorológica de Chile, Santiago, Chile
Chipperfield, M., University of Leeds, Leeds, UK
Ciattaglia, L., Consiglio Nazionale delle Ricerche, Rome, Italy
Deshler, T., University of Wyoming, Laramie, WY, USA
Evans, R., National Oceanic and Atmospheric Administration, Boulder, CO, USA
Feng, W., University of Leeds, Leeds, UK
Fioletov, V., Environment Canada, Downsview, Ontario, Canada
García, R., Dirección Nacional de Meteorología, Montevideo, Uruguay
von der Gathen, P., Alfred Wegener Institute, Potsdam, Germany
Gelman, M., National Oceanic and Atmospheric Administration, Camp Springs, MD, USA
Ginzburg, M., Servicio Meteorológico Nacional, Buenos Aires, Argentina
Goutail, F., Centre National de la Recherche Scientifique, Verrières-le-Buisson, France
Hertzog, A., Laboratoire de Météorologie Dynamique, Palaiseau, France
Johnson, B., National Oceanic and Atmospheric Administration, Boulder, CO, USA
Klekociuk, A., Australian Antarctic Division, Kingston, Tasmania, Australia
König-Langlo, G., Alfred Wegener Institute, Potsdam, Germany
Long, C., National Oceanic and Atmospheric Administration, Camp Springs, MD, USA
Loyola, D., German Aerospace Center, Oberpfaffenhofen, Germany
Manney, G., Jet Propulsion Laboratory, Pasadena, CA, USA
Marchand, M., Centre National de la Recherche Scientifique, Paris, France
McKenzie, R., National Institute for Water and Atmospheric Research, Lauder, New Zealand
McPeters, R., National Aeronautics and Space Administration, Greenbelt, MD, USA
Mercer, J., University of Wyoming, Laramie, WY, USA
Nash, E., National Aeronautics and Space Administration, Greenbelt, MD, USA
Newman, P., National Aeronautics and Space Administration, Greenbelt, MD, USA
Nichol, S., National Institute for Water and Atmospheric Research, Lauder, New Zealand
Ocampo, M., Dirección Nacional de Meteorología, Montevideo, Uruguay
Oltmans, S., National Oceanic and Atmospheric Administration, Boulder, CO, USA
Pazmiño, A., Centre National de la Recherche Scientifique, Verrières-le-Buisson, France
Redondas, A., Instituto Nacional de Meteorología, Santa Cruz, Spain
Richter, A., University of Bremen, Bremen, Germany
Rudolph, C., Alfred Wegener Institute, Potsdam, Germany
Shanklin, J., British Antarctic Survey, Cambridge, UK
Shudo, Y., Japanese Meteorological Agency, Tokyo, Japan
Vik, A.F., Norwegian Institute for Air Research, Kjeller, Norway
Weber, M., University of Bremen, Bremen, Germany
Yela, M., Instituto Nacional de Técnica Aeroespacial, Madrid, Spain
Zheng, X-D., Chinese Academy of Meteorological Sciences, Beijing, China

The Global Atmosphere Watch of WMO includes several stations in Antarctica that keep a close eye on the ozone layer during the ozone hole season. Observations made during the ozone holes from 2003 to 2007 will be compared to each other and interpreted in light of the meteorological conditions. Satellite observations will be used to get a more general picture of the size and depth of the ozone hole and will also be used to calculate various metrics for ozone hole severity. In 2003, 2005 and 2006, the ozone hole was relatively large with more ozone loss than normal. This is in particular the case for 2006, which by most ozone hole metrics was the most severe ozone hole on record. On the other hand, the ozone holes of 2004 and 2007 were less severe than normal, and only the very special ozone hole of 2002 had less ozone depletion when one regards the ozone holes of the last decade. The interannual variability will be discussed with the help of meteorological data, such as temperature conditions, possibility for polar stratospheric clouds, vortex shape and vortex longevity. Observations will also be compared to 3-D chemical transport model calculations.